



THE AGA KHAN UNIVERSITY

eCommons@AKU

Department of Paediatrics and Child Health

Division of Woman and Child Health

December 2016

Global research priorities to accelerate early child development in the sustainable development era

Tarun Dua
World Health Organization

Mark Tomlinson
Stellenbosch University

Elizabeth Tablante
World Health Organization

Pia Britto
UNICEF

Aisha Khizar Yousafzai
Aga Khan University, aisha.yousafzai@aku.edu

See next page for additional authors

Follow this and additional works at: https://ecommons.aku.edu/pakistan_fhs_mc_women_childhealth_paediatr



Part of the [Pediatrics Commons](#)

Recommended Citation

Dua, T., Tomlinson, M., Tablante, E., Britto, P., Yousafzai, A., Daelmans, B., Darmstadt, G. L. (2016). Global research priorities to accelerate early child development in the sustainable development era. *Lancet Global Health*, 4(12), e887-e889.

Available at: https://ecommons.aku.edu/pakistan_fhs_mc_women_childhealth_paediatr/342

Authors

Tarun Dua, Mark Tomlinson, Elizabeth Tablante, Pia Britto, Aisha Khizar Yousafzai, Bernadette Daelmans, and Gary L. Darmstadt

Global research priorities to accelerate early child development in the sustainable development era



Between 1990 and 2015, the under-5 mortality rate declined by 53%, resulting in approximately 48 million more children reaching their fifth birthday than would have occurred had 1990 mortality rates continued.¹ Many of these children, however, continue to live in conditions of adversity—marked by extreme poverty, undernutrition, conflict, and insecurity—and are not afforded the level of care required to ensure that they meet their developmental potential.² Neuroscience research in the past two decades is unequivocal that the period from conception through early childhood (ie, at least the first 3 years) is foundational in terms of brain development. There is increasing evidence (mostly from high-income countries) that delivering quality interventions in the early years is cost-effective,³ reduces health inequities,⁴ improves learning and academic attainment,⁵ lowers crime and

violence,⁵ and can substantially improve adult health and economic productivity.⁶ For the first time, the foremost global development framework—the new Sustainable Development Goals (SDGs)—includes child development, under target 4.2.⁷ This is also reflected in the new Global Strategy for Women’s, Children’s and Adolescents’ Health (2016–2030),⁸ within which one of the core objectives is to ensure that all women, children, and adolescents have an equal chance to thrive (and not simply survive). Thus, any research agenda that aims to give young children the chance to both survive and thrive must ensure that early child development (ECD) is prioritised in order to inform policy and programmatic implementation and achieve the SDG target. Although the scientific evidence is clear, donor and policy neglect of ECD has been striking. Recently however, high-level support for ECD has been emerging,^{9,10} including in the

Published Online
October 4, 2016
[http://dx.doi.org/10.1016/S2214-109X\(16\)30218-2](http://dx.doi.org/10.1016/S2214-109X(16)30218-2)

| | Ranking |
|--|---------|
| Improve awareness and promotion | |
| What are cost-effective ways to promote an understanding of child development at the community level? | 25 |
| What is the impact of demand-side strategies designed to reduce access barriers for poor and vulnerable groups on pre-primary enrolment? | 27 |
| What is the impact of social mobilisation campaigns on use of positive discipline? | 40 |
| Advance identification of risk factors, and better understanding of the burden | |
| What factors contribute to growth and development recovery following early nutritional deficiencies? | 14 |
| What is the strength of association between stunting and cognitive development? | 28 |
| What are the most appropriate tools for population-level assessment of development in children <8 years in resource limited settings at scale? | 29 |
| Improve impact of interventions | |
| Can early child development packages focusing on nurturing care and parent support improve child cognitive development in rural low-income settings? | 1 |
| What approaches to improve quality of early childhood care and education programmes result in improved developmental outcomes for young children? | 2 |
| What is the impact and sustainability of nutritional supplementation to improve the physical and cognitive health of children? | 5 |
| Enhance implementation of interventions | |
| Can community health workers/paraprofessionals be trained to deliver ECD interventions effectively? | 3 |
| Can group-based parenting support programmes in the postnatal period increase self-efficacy of new mothers? | 8 |
| Are group-based interventions more effective than home visiting to deliver ECD interventions? | 10 |
| Expand integration and coordination | |
| Would the integration of an ECD counselling model within an integrated maternal, newborn, and child health strategy lead to better child development outcomes? | 4 |
| Can ECD programmes be taken to scale and maintain the degree of integrity/fidelity necessary to assure effectiveness? | 11 |
| Can ECD programmes be integrated with existing routine health care visits? | 12 |
| Increase understanding of health economics and social protection strategies | |
| What are the additive costs of integrating health/nutrition interventions into early childhood education programmes? | 6 |
| What is the impact of unconditional cash transfer programmes in pregnancy on child development? | 17 |
| What are the most cost-effective parenting interventions to promote ECD? | 21 |

ECD=early child development.

Table: Top three priority research questions in each thematic goal

recent *Lancet Series*.^{11–13} To optimise the impact of this new momentum, ECD research prioritisation is required.

Between February and November, 2015, we conducted a priority-setting exercise to set research priorities for ECD to 2025. This is part of WHO's larger initiative to set priorities for maternal, newborn, child, and adolescent health. We used the Child Health and Nutrition Research Initiative (CHNRI) methodology for setting priorities in health research investments because: (a) it is a carefully developed and documented conceptual framework available in the public domain; (b) it has demonstrated usefulness in several previous exercises; and (c) it is increasingly being used by policy makers, large donors, and international organisations.^{14,15} We adapted a set of five criteria from the CHNRI methodology—answerability, effectiveness, feasibility, impact, and effect on equity—against which an expert group scored research investment priorities. Library searches and snowball sampling were used to identify 348 experts (both researchers and programme experts) who were then approached by email to provide their three to five top research questions. 74 participants responded, generating 406 research questions, which we then collated into a composite set of questions by eliminating redundancies and overlaps, excluding irrelevant questions, and identifying thematic areas. This process yielded 54 questions that were then scored by 69 of the original experts against the five criteria outlined above. Composite scores ranging from 0 to 100% were calculated for each research question. The experts who completed scoring were geographically diverse, with 7% from WHO African Region, 34% from the Americas, 5% from Eastern Mediterranean Region, 18% from European Region, 11% from South-East Asian Region, and 8% from Western Pacific Region; 18% considered themselves international (WHO or UNICEF or international non-governmental organisations or agencies).

The research questions were organised by six thematic goals. The table presents the goals and the top three research questions for each of the goals, including their ranking. Research priority scores among the top 10 priorities ranged from 82% to 87%. All of the top-ranked priorities were related to the impact of implementation of interventions, whether by community health workers or through increased support to parents and families. Three of the top 10 ranked priorities related to integration, such as integrating ECD services within maternal, newborn, and

child health services or the additive costs of integrating health or nutrition interventions into early childhood education programmes. There were no questions in the top 10 about epidemiology, basic science, or discovery, although questions arose about interactions between nutrition and physical and cognitive development.

The results of this process clearly indicate that the crucial priorities for future research relate to the need for services and support to parents to provide nurturing care and the training of health workers and non-specialists. What is most striking about the top-ranked priorities is the emphasis on creating enabling environments to support families in providing nurturing care for young children, which is a key message of *The Lancet Series on Early Child Development*.^{11–13} In addition, the emphasis on integration is important—also emphasised in *The Lancet Series*—as it speaks to the importance of implementing programmes using existing delivery platforms such as maternal and child health and nutrition services.¹³ Given the current global focus on quality of care, the high priority given to questions of maintaining impact when going to scale is important as well as improving the policy environment, improving quality of interventions, and increasing effectiveness and improving demand.

Currently, research funding for the “thrive” component of the Global Strategy is lower than for the survival agenda for children. The SDG agenda places ECD in the centre of global efforts to improve human capital. We encourage international organisations, national governments, research institutes, and donors to consider the findings of this exercise in order to address key gaps in our knowledge and enhance the ECD agenda and the achievement of the SDGs.

**Tarun Dua, Mark Tomlinson, Elizabeth Tablante, Pia Britto, Aisha Yousfzai, Bernadette Daelmans, Gary L Darmstadt*
Department of Mental Health and Substance Abuse, World Health Organization, Geneva, Switzerland (TD, ET); Department of Psychology, Stellenbosch University, Stellenbosch, South Africa (MT); UNICEF, New York, NY, USA (PB); Department of Paediatrics and Child Health, Aga Khan University, Karachi, Pakistan (AY); Department of Maternal, Newborn, Child and Adolescent Health, World Health Organization, Geneva, Switzerland (BD); and Department of Pediatrics, Stanford University School of Medicine, Stanford, CA, USA (GLD)
duat@who.int

This work was funded by Grand Challenges Canada. We declare no competing interests.

© 2016 World Health Organization; licensee Elsevier. This is an Open Access article published under the CC BY 3.0 IGO license which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. In any use of this article, there should be no suggestion that WHO endorses any specific organisation, products or services. The use of the WHO logo is not permitted. This notice should be preserved along with the article's original URL.

- 1 UNICEF. For every child, a fair chance: the promise of equity. New York: UNICEF, 2015.
- 2 Grantham-McGregor S, Cheung YB, Cueto S, et al. Developmental potential in the first 5 years for children in developing countries. *Lancet* 2007; **369**: 60–70.
- 3 Heckman JJ. Skill formation and the economics of investing in disadvantaged children. *Science* 2006; **312**: 1900–02.
- 4 Marmot M, Friel S, Bell R, Houweling TA, Taylor S. Closing the gap in a generation: health equity through action on the social determinants of health. *Lancet* 2008; **372**: 1661–69.
- 5 Reynolds AJ, Temple JA, Robertson DL, Mann EA. Long-term effects of an early childhood intervention on educational achievement and juvenile arrest: a 15-year follow-up of low-income children in public schools. *JAMA* 2001; **285**: 2339–46.
- 6 Campbell F, Conti G, Heckman JJ, et al. Early childhood investments substantially boost adult health. *Science* 2014; **343**: 1478–85.
- 7 United Nations. Transforming our world: the 2030 Agenda for Sustainable Development. http://www.un.org/ga/search/view_doc.asp?symbol=A/RES/70/1&Lang=E (accessed Nov 24, 2015).
- 8 Every Woman Every Child. The Global Strategy for Women's, Children's and Adolescent's Health (2016–2030). New York: United Nations, 2015.
- 9 Chan M. Linking child survival and child development for health, equity, and sustainable development. *Lancet* 2013; **381**: 1514–15.
- 10 Lake A, Chan M. Putting science into practice for early child development. *Lancet* 2014; **385**: 1816–17.
- 11 Black MM, Walker SP, Fernald LC, et al, for the Lancet Early Childhood Development Series Steering Committee. Early childhood development coming of age: science through the life course. *Lancet* 2016; published online Oct 4. [http://doi.org/10.1016/S0140-6736\(16\)31389-7](http://doi.org/10.1016/S0140-6736(16)31389-7).
- 12 Britto PR, Lyes S, Proulx K, et al, with the Early Childhood Development Interventions Review Group, for the Lancet Early Childhood Development Series Steering Committee. Nurturing care: promoting early childhood development. *Lancet* 2016; published online Oct 4. [http://doi.org/10.1016/S0140-6736\(16\)31390-3](http://doi.org/10.1016/S0140-6736(16)31390-3).
- 13 Richter LM, Daelmans B, Lombardi J, et al, with the Paper 3 Working Group, for the Lancet Early Childhood Development Series Steering Committee. Investing in the foundation of sustainable development: pathways to scale up for early childhood development. *Lancet* 2016; published online Oct 4. [http://doi.org/10.1016/S0140-6736\(16\)31698-1](http://doi.org/10.1016/S0140-6736(16)31698-1).
- 14 Rudan I, Kapiriri L, Tomlinson M, Balliet M, Cohen B, Chopra M. Evidence-based priority setting for health care and research: tools to support policy in maternal, neonatal, and child health in Africa. *PLoS Med* 2010; **7**: e1000308.
- 15 Rudan I, Chopra M, Kapiriri L, et al. Setting priorities in global child health research investments: universal challenges and conceptual framework. *Croat Med J* 2008; **49**: 307–17.